

**43 out of 100
firms losing
their records
in a fire
never reopen***

DON'T GAMBLE

Keep your irreplaceable
records in a Meilink Underwriters'
Laboratories Labeled Safe

MEILINK STEEL SAFE CO.

TOLEDO 6, OHIO



MANY OF YOUR RECORDS ARE IRREPLACEABLE

If you lose them in a fire you may find yourself unable to continue in business. Protection of records is a fundamental requirement of sound business management. Fires do not happen on schedule. No one knows whether or not he will be the next victim. *Don't gamble.*




FIRE INSURANCE ISN'T ENOUGH

What if you lose your most vital records in a fire—your inventory records or your accounts receivable records, for example—how do you prove your losses and collect fully? How do you substantiate your tax returns? Remember—burden of proof is your responsibility. *Don't gamble.*



THERE'S NO SUCH THING AS A "FIREPROOF" BUILDING

The National Fire Protective Association says the so-called "fireproof" building is merely fire-resistive. Building construction is no proof against fire. Often fires of great intensity are generated in "fireproof" buildings because the heat is "walled in". *Don't gamble.*



YOUR OLD SAFE MAY BE AN INCINERATOR

Old safes not bearing the Underwriters' Laboratories label are more likely to incinerate than to protect their contents in case of a severe fire. Their fire-resistance can only be classified as "uncertain". *Don't gamble.*

Class

A

Four-Hour



NO. 545X

There is no safer safe in the whole wide world than a Meilink Class A safe. For maximum record protection this is the safe you should buy. There are a number of sizes to choose from, in both single and double door models.

Catalog Number	INSIDE SIZE—INCHES			OUTSIDE OVERALL SIZE—INCHES			Approximate Shipping Wt. Empty
	Height	Width	Depth	Height	Width	Depth	
532	32 $\frac{7}{16}$	18 $\frac{1}{2}$	21	47 $\frac{5}{16}$	30 $\frac{1}{2}$	31 $\frac{1}{2}$	1390
533	50	18 $\frac{1}{2}$	21	64 $\frac{7}{8}$	30 $\frac{1}{2}$	31 $\frac{1}{2}$	1850
542	32 $\frac{7}{16}$	33 $\frac{3}{4}$	21	47 $\frac{5}{16}$	44 $\frac{5}{8}$	31 $\frac{1}{2}$	1750
544	50	33 $\frac{3}{4}$	21	64 $\frac{7}{8}$	44 $\frac{5}{8}$	31 $\frac{1}{2}$	2325
545	60	33 $\frac{3}{4}$	21	74 $\frac{7}{8}$	44 $\frac{5}{8}$	31 $\frac{1}{2}$	2600
0546	60	45 $\frac{1}{2}$	21	74 $\frac{7}{8}$	56 $\frac{3}{8}$	31 $\frac{1}{2}$	3200
546	60	45 $\frac{1}{2}$	29	74 $\frac{7}{8}$	56 $\frac{3}{8}$	39 $\frac{1}{2}$	3700
547	60	33 $\frac{3}{4}$	29	74 $\frac{7}{8}$	44 $\frac{5}{8}$	39 $\frac{1}{2}$	3000



Class



B

Two




NO. 442X

Catalog Number	INSIDE SIZE—INCHES	
	Height	Width
20	20	
25	25	
30	30	
35	34 $\frac{3}{4}$	
233	50	
442	33 $\frac{11}{16}$	
444	50	
445	60	
0446	60	
446	60	
447	60	



o-Hour

Meilink Class B safes have an enviable performance record in protecting records. Here the choice of sizes, both single and double door, is generous and you should have no trouble deciding on one to meet your needs.




NO. 30A

E-INCHES		OUTSIDE OVERALL SIZE-INCHES			Approximate Shipping Wt. Empty
Width	Depth	Height	Width	Depth	
8½	15	31¼	25½	24½	545
8½	21	36¼	25½	30	750
8½	21	41¼	25½	30	850
8½	21	46	25½	30	950
8½	21	63¼	26	30½	1300
3¾	21	47½ ¹⁶	42½	30¼	1375
3¾	21	63¾	42½	30¼	1850
3¾	21	73¾	42½	30¼	2000
5½	21	73¾	54¼	30¼	2500
5½	29	73¾	54¼	38¼	2800
3¾	29	73¾	42½	38¼	2400

Class C One-Hour


Meilink One-Hour safes are designed for use where the risk is not severe. Both single and double door models are available, in a splendid range of sizes.



NO. 10SE




NO. 13X




Catalog Number	INSIDE SIZE-INCHES			OUTSIDE OVERALL SIZE-INCHES			Approximate Shipping Wt. Empty
	Height	Width	Depth	Height	Width	Depth	
4	17	15	15	27¾	21¾	22¾	390
5	20	15	15	30¾	21¾	22¾	430
6	20	18½	15	30¾	25½	22¾	475
6XD	20	18½	21	30¾	25½	28¾	570
8	31	18½	15	41¾	25½	22¾	590
8XD	31	18½	21	41¾	25½	28¾	725
10	39½	18½	15	50¾	25½	22¾	700
10XD	39½	18½	21	50¾	25½	28¾	875
11	50	18½	21	60¾	25½	28¾	1000
12	35¼	33¾	21	47½ ¹⁶	41¾	28¾ ¹⁶	1150
13	50	33¾	21	62½ ¹⁶	41¾	28¾ ¹⁶	1475
14	63	33¾	21	75½ ¹⁶	41¾	28¾ ¹⁶	1750
15	63	33¾	29	75½ ¹⁶	41¾	36¾ ¹⁶	2050
16	63	45½	29	75½ ¹⁶	53¾	36¾ ¹⁶	2450
016	63	45½	21	75½ ¹⁶	53¾	28¾ ¹⁶	2125


Vue-Gard Combination Dial
The new Meilink combination dial has a "cover-up" design which prevents prying eyes from seeing the numbers being dialed. It is larger, too, and easier to operate than the conventional type.



New Right Angle Lock
Sharp, clean, smooth, the new Meilink safes fit handsomely into offices of contemporary design. The rectangular polished metal handle plates and the black-and-chrome handles emphasize the right angle look.




Bolt-O-Matic Door Gard*
Prevents locking of combination or bolts while doors are open or when they are not closed in the proper sequence. Prevents jamming of bolts in case of improper closing.




Interiors Unlimited

The variety of interior assemblies is virtually unlimited. You can tailor-make an interior to suit your filing needs, choosing from various standard sizes of drawers, cabinets, shelves and partitions.



Protect your records against disaster!



MEILINK
SINCE 1899

UNDERWRITERS' LABORATORIES APPROVED

SAFES

